

Vibrant business colour

Adding impact to your everyday print communication, these desktop devices put vibrant and productive colour printing within easy and affordable reach.

Class-leading functionality

- Vibrant colour output
- 25 ppm productivity
- Print from any device
- Low running costs
- Best in class security including SNMPv3-encrypted communications for device monitoring

Combining class-leading functionality with low total costs of ownership, these compact A4 devices are made for business. Keeping pace with demand, they deliver immaculate double-sided colour and black and white output at a productive 25 pages per minute. And, with WiFi Direct making it easy to connect, these productive desktop printers can be shared by multiple users.

Productive time-saving features

- Printer and/or 4-in-1 MFP
- Colour touchscreen panel
- Fast, single-pass scanner
- Optional 2nd paper tray



To simplify your print environment, Ricoh offers single and multi-function versions of the same advanced print engine. The M C251FW is a compact fax-enabled 4 w 1. Its large colour touchscreen panel simplifies operation and, to save time, the integral Single Pass Document Feeder (SPDF) quickly scans double-sided originals in a single pass. The addition of an optional second paper tray expands capacity and enables different sizes and types of paper to be held online, ready for use

Easy installation and support

- Windows, Mac and Linux
- AirPrint, Mopria
- Near Field Communication
- UHY toner cartridges

Easy to install, they will work seamlessly in virtually any environment. Windows, Mac and even Linux are supported and, to improve access, users can connect using AirPrint, Mopria. And, with WiFi Direct and Near Field Communication (NFC) built in, it has never been easier to join a network. What is more, with their ultra high yield cartridges extending print cycles and reducing costs, these reliable desktop devices offer best-in-class total costs of ownership.



RICOH P C311W / M C251FW

MAIN SPECIFICATIONS


infiguration chnology rm-up time it output speed: B/W tt output speed: full colour intinuous output speed mory: standard		Desktop Laser
chnology rm-up time st output speed: B/W st output speed: full colour ntinuous output speed		Laser
m-up time t output speed: B/W t output speed: full colour tinuous output speed		
t output speed: B/W t output speed: full colour ntinuous output speed		20 seconds
t output speed: full colour tinuous output speed		
ntinuous output speed	9.4 seconds	
	9.8 seconds	
non/: etandard	25 ppm	
		256 MB
nory: maximum		256 MB
OF capacity (M C251FW)	-	50 sheets
y cycle		65,000
lex		Yes
ight	25 kg	30 kg
ensions: W x D x H	400 x 450 x 334 mm	420 x 493 x 473 mm
er source	229	0 - 240 V, 50 - 60 Hz
IER (M C251FW)		
		Units 00 services
ole copying	-	Up to 99 copies
d conv	-	From 25% to 400% in 1% steps
d copy	-	Yes
TER		
g process	Laser beam scanning, electro-photographic printing	
language: standard	PCL5c, PCL6, PostScript® 3™	
resolution	2,400 x 600 dpi	
	Standard: PCL (80 fonts), PS3 (80 fonts)	
uls interference atom -ll	, , , , , , , , , , , , , , , , , , , ,	
ork interface: standard	Ethernet 10 base-T/100 base-TX, Wireless LAN (IEEE 802.11 a/b/g/n), USB 2.0	
e printing capability	Apple AirPrint, Mopria®	
Vindows® environments		Windows® 8.1
		Windows® 10
		ndows® Server 2012
		dows® Server 2012R2
		ndows® Server 2016
		ndows® Server 2019
OS environments	Macin	tosh OS X v10.10 - v11
supported environments	I	Linux environment
NER (M C251FW)		
		21 inm
ng: B/W	-	21 ipm 12 ipm
ning: full colour ution: maximum	-	1∠ ipm 1,200 dpi
tion: standard	-	1,200 dpi 600 dpi
ed drivers	-	Network TWAIN
modes		E-mail,Folder,USB
		E maii, older, oob
/I C251FW)		
atibility	-	PSTN ITU-T(T.37) Internet-Fax
patibility mission speed	-	3 seconds
mission speed m speed: maximum	-	3 seconds 33.6 Kbps
fax	-	Standard
IX	-	Standard
HANDLING		
nmended paper size	,	A4, A5, A6, B4, B5
input: standard		250 sheets
input: bypass		1 sheets
input: maximum		751 sheets
output: standard		150 sheets
	т	rays: 60 - 163 g/m²
weight		al tray(s): 60 - 105 g/m²
		pass: 60 - 105 g/m²
		uplex: 60 - 90 g/m²
.OGY		
	B&W: 412 W, Full colour: 450 W	B&W: 422 W, Full colour: 444 W
		0.31 kWh/week
consumption: operation	0.3 kWh/week	

1x 500-sheet paper tray

RICOH P C311W / M C251FW

MAIN SPECIFICATIONS

P C311W M C251FW









COMMISSION REGULATION (EU) 2019/2020. The light source of this product is not intended for applications other than image printing.

Ricoh UK Ltd.

300 and 800 Pavilion Drive Northampton Business Park NN4 7YL Northampton United Kingdom



+44(0)1604 814900



www.ricoh.co.uk

